

growtrain
TRAINING FOR EXCELLENCE

MODULE 4
AIR QUALITY, CLIMATE CHANGE, ENERGY AND
WASTE MANAGEMENT

Ver 2802242

1

growtrain
TRAINING FOR EXCELLENCE


Air quality

- Ammonia NH_3 **not a GHG** – Gothenburg Protocol Objectives 2030
- Methane CH_4 GHG ($25 \times \text{CO}_2$) $1\text{ kg CH}_4 = 25\text{ kg CO}_e$
- Nitrous Oxide N_2O GHG ($300 \times \text{CO}_2$) $1\text{ kg N}_2\text{O} = 300\text{ kg CO}_e$
- Carbon dioxide CO_2 GHG
- Odour – nuisance


Carbon dioxide equivalents (**CO₂e**) used to **express GHG as above**

Ver 2802242


2




3




4



5



6



7

Air Quality

- Agriculture account for around **88%** of **NH₃+** emissions.
- High concentrations of **NH₃+** in air means N is deposited onto land.
- Damages habitats by changing species of plants present and pollutes streams, rivers and other water bodies.
- NH₃+** can be converted to **N₂O** and released from soils.
- Combines with substances in air to form **fine particles**, which harm human health.

Ver 2302234


8

Use of Urea

- From **1st April 2024**, fertilisers containing urea that are not protected/inhibited can be used only between **15th January and 31st March**.
- Outside this window, fertilisers containing urea that are **protected/inhibited** must be used.
- Detailed requirements are to be set out in a **Red Tractor Standard**

Ver 2302234

9




10

Mitigate Ammonia NH₃+ emissions



- Apply protected/inhibited fertilisers if they contain urea - < 70%
- Covers on slurry stores - < 80% for rigid cover, <60% for plastic sheeting < 40% for floating covers.
- Allow cattle slurry store to develop natural crust - < 50%
- Cover solid manure store with plastic sheeting - < 60% reduction increased loss during spreading
- Use slurry band spreading application - 30% for short grass, 60% for trailing shoe in long grass.
- Use slurry injection application techniques - <70% shallow injection.
- Incorporate manure into soil - < 60% reduction if incorporated within 6 hours, < 40% for FM and < 60% for poultry manure if incorporated within 24 hours.
- Slurry acidification - < 50% adjust pH to 6
- Avoid spreading during hot and windy conditions with no rainfall expected
- Humid soils improve diffusion - rainfall upon fertilizer application significantly reduces ammonia emissions by distribution of fertilizer in the soil and mitigation of peak pH peaks

Ver 2302234

11



12




Agri-climate report 2022

Nitrous Oxide (N₂O)

- GHG
- 300 x CO₂ e
- Produce under **anaerobic conditions** in the soil
- Thiobacillus dinitrogen and other denitrifying bacteria favor these conditions **NO₃⁻ NO₂⁻ N₂O**
- Nitrification process **NH₄⁺ - NO₂⁻ NO₃⁻** small amounts of **N₂O** produced

15




Agri-climate report 2022

Mitigation N₂O

- Drainage - mole - **> 30% clay**
- **Add OM** – improves workability – porosity – reduces bulk density
- **Cover crops** – adding N – exudates – reduce transpiration
- Roots in – **feeding the biota**
- **Avoid Compaction** – reduce cultivations
- **Reduce fertilizer use** – type of fertilizer - timing

17



Methane (CH₄)




- GHG
- 25 x CO₂ e
- Anaerobic conditions
- Ruminants Livestock – feed – efficiency
- Landfill – reduce waste

Ver 230224

19

19



20

Carbon dioxide (CO₂)




- GHG
- Used as equivalents for GHG

Lost by:

- Burning of fossil fuels
- Cultivations
- Breaking down OM
- Biota activity

21

21



22

Mitigate Carbon dioxide (CO₂)

Reduce:

- Cultivations – number and depth
- Cropping - longer
- Rotations

Ver 230224

23

23

Odour

Caused through:

- Manure & slurry application
- Livestock

Mitigation:

- Inject
- Incorporate
- Pre rainfall
- Wind direction
- Wind strength
- Weather conditions

Ver 230224

24

24

Odour

For odour to count as a statutory nuisance it must do one of the following:

- **unreasonably** and **substantially** interfere with the use or enjoyment of a home or other premises
- **injure health** or be likely to injure health

Ver 280224

25

25

Climate Change

Caused through

- Increase GHG
- Release carbon by cultivations
- Soil conditions – Anerobic – Water logging
- Loss of OM
- Livestock
- Manure & fertilizer application

Mitigations

- Reduce cultivation
- Crop diversity
- Increase rotation
- Add OM
- Livestock reduction
- Livestock diet
- Livestock housing conditions
- Livestock Breeding

Ver 280224

26

26

Reducing Carbon Emissions

- Reducing carbon emissions from agricultural production is essential for mitigating climate change. Here are several strategies that can be implemented in agriculture to reduce carbon emissions:
- By adopting these strategies, agriculture can play a significant role in mitigating climate change by reducing its carbon emissions and enhancing the ability of soils to sequester carbon

Ver 280224

27

27

Adopt Sustainable Farming Practices

- **No-till Farming:** Reduces soil disturbance, helping to sequester carbon in the soil and decrease CO2 emissions.
- **Cover Cropping:** Using cover crops (e.g., legumes) helps capture carbon and improve soil health by preventing erosion and enhancing soil organic matter.
- **Agroforestry:** Integrating trees and shrubs into farming systems can sequester carbon, improve biodiversity, and reduce wind and water erosion.
- **Crop Rotation and Diversification:** Reduces the need for synthetic fertilizers, improves soil carbon storage, and reduces the emission of nitrous oxide (a potent greenhouse gas).

Ver 280224

28

28

Improve Livestock Management

- **Feed Efficiency:** Enhancing the quality of feed for livestock can reduce methane emissions from ruminants (e.g., cows). Feeding livestock high-quality, digestible feed improves the efficiency of digestion, leading to less methane production.
- **Manure Management:** Proper manure handling, such as anaerobic digestion (to capture methane), composting, or storing it in covered lagoons, can reduce methane and nitrous oxide emissions.
- **Rotational Grazing:** Helps improve pasture health and reduces methane emissions from livestock by increasing carbon sequestration in the soil.

Ver 280224

29

29

Optimize Fertilizer Use

- **Precision Agriculture:** Using sensors and technology to apply the right amount of fertilizer in the right places at the right times can reduce the over-application of nitrogen fertilizers, which are responsible for nitrous oxide emissions.
- **Slow-release Fertilizers:** Using controlled-release fertilizers or organic alternatives (such as compost) can help reduce the amount of nitrogen lost to the atmosphere as nitrous oxide.
- **Incorporating Manure:** Manure is a natural fertilizer and can be incorporated into the soil promptly to reduce ammonia emissions and increase carbon storage in the soil.

Ver 280224

30

30

Enhance Soil Carbon Sequestration



- **Organic Matter Management:** Increasing organic matter in the soil (through compost, cover crops, or reduced tillage) helps improve soil structure and carbon sequestration.
- **Biochar:** Applying biochar (charcoal produced from plant materials) to soils can help sequester carbon and improve soil fertility.
- **Agroecology Practices:** Adopting farming techniques that mimic natural ecosystems can increase biodiversity, reduce the need for synthetic inputs, and enhance soil's ability to sequester carbon

Ver 280224

31

31

Energy Efficiency and Renewable Energy



- **Energy-Efficient Equipment:** Upgrading to energy-efficient machinery (e.g., tractors, irrigation systems) can reduce the fuel consumption and associated emissions.
- **Renewable Energy:** Transitioning to renewable energy sources, such as solar or wind, for powering farm operations, greenhouses, or livestock operations can significantly cut emissions from the agricultural sector.

Ver 280224

32

32

Carbon Pricing and Incentives



- **Carbon Credits:** Participating in carbon credit programs allows farmers to earn revenue for practices that sequester carbon or reduce emissions. These programs incentivize sustainable practices.
- **Government Incentives:** Subsidies, grants, or tax incentives for adopting green technologies (e.g., solar panels, sustainable fertilizers) can reduce the financial burden on farmers to implement carbon-reducing practices.

Ver 280224

33

33

Reducing Food Waste



- **Improved Storage and Transport:** Reducing food waste in the agricultural supply chain can prevent unnecessary carbon emissions associated with food spoilage, transportation, and landfills.
- **Waste Reduction in Consumption:** Encouraging reduced food waste at the consumer level also contributes to lowering agricultural carbon emissions by reducing the demand for overproduction.

Ver 280224

34

34

Net Zero



- **NFU 2040**
- **25 year plan 2050**
- Carbon off set by sequestering via photosynthesis
- Reduce cultivations
- Audit farm
- Renewables – solar – biogas – geothermic (Eden Project) – heat source pumps

Ver 280224

35

35

Calculating Carbon Emissions on Farm




The AHDB (Agriculture and Horticulture Development Board) Carbon Calculator:

is a tool designed to help farmers in the UK calculate the carbon footprint of their farming operations. It is part of a wider initiative by AHDB to support sustainable farming practices and help farmers reduce their greenhouse gas emissions.

Ver 280224

36

36



37



38

Climate Change & the Farm

- Reduce energy use
- Meter – Monitor energy use
- Lights
- Cultivations
- Clear accounting

39

Energy Use & Efficiency Improving Electricity

Renewable electricity generation:

- Solar panels, wind turbines or other sources of renewable energy.
- Depending on location, on a hill or low in a valley, limitations for wind turbines close to the M.O.D operations, and any infrastructure that might impinge on landscape character.

Green energy tariffs:

- Works by the supplier promising to match all or some of the electricity you use with renewable energy, which it then feeds back into the National Grid.
- The more people who sign up to a green energy tariff, the bigger the percentage of green energy in the national supply.

40

Energy Use & Efficiency Maximising Heating

- **Insulation:** Check insulation, loft, floor and wall cavity insulation, and gaps in window and door frames.
- **Draught excluder** for windows and doors.
- Check your thermostat: **Turn down** your thermostat when your property is not occupied and at night.
- **Renewable heat generation:** Options for renewable heat generation, ground or air source heat pumps. Viability of some technologies for individual dwellings must be considered, particularly when it comes to electricity supply. Renewable technologies can also be used to heat water.
- **Windows:** Replacing single-glazed windows with double-glazed windows could reduce heat loss by up to **75%**. Restrictions may apply for listed buildings.

41

Energy Use & Efficiency Maximising Lighting

- **Fixtures and bulbs:** Upgrading lighting fixtures
- **Natural light:** Use natural light as much as possible
- **Upkeep:** Ensuring that light fixtures are kept clean
- **Security lighting:** Consider solar powered security lighting.
- **Automatic lighting:** Consider automatic lighting for some buildings.

42

Energy Use & Efficiency Maximising Office Equipment

Equipment:

- Ensure energy saving features on office equipment are enabled.
- Only purchase equipment with a high energy efficiency rating, and ensure all equipment is switched off when not in use (especially overnight).

Printing:

- Only print when necessary and ensure this is done double-sided.

Heating:

- Prevent use of portable electric heaters where possible, as these are generally energy inefficient.

Ver 2/2022/4

43

43

Energy Use & Efficiency Maximising Vehicles

Electric vehicles (EVs):

- Making the **switch to electric**, could have long term financial benefits and of course environmental benefits, particularly where charging infrastructure is powered by renewables.

Driving economically:

- **Drive smoothly**, accelerate gently, and read the road ahead to avoid heavy braking.

Maintenance:

- Ensuring your vehicles and machines are **well maintained** will enable fuel efficiency, for example, ensuring tyres on tractors and machinery are suitably inflated for the task.

Also consider

- (if applicable) livestock watering systems, irrigation systems, greenhouses, grain drying and farm shop operations).

Ver 2/2022/4

44

44

Energy Efficiency Advice for Arable Farmers

- Largest energy usage on arable farms is **crop storage and drying**.
- **Transport and cultivation** considerable source and the inputs which go into growing crops comprise another large source.
- The '**embodied energy**' in **fert.**, especially ammonium and nitrate based fert., with around a tonne of oil used to manufacture each tonne of chemical fertiliser.
- **Reducing artificial fert.** will increase energy resilience & emissions.

Ver 2/2022/4

45

45

Crop storage and drying

- High temp. driers require **55 litres of oil per ha** of crop dried.
- Controls set to the right setting - **can waste up to 25%** of the energy used.
- Humidity key to crop storage and drying - could save up to **40%** of energy.
- Cooling crops rather than drying them could save **10%**
- Maintenance, ventilation fans at the appropriate size, accurate moisture measurement and aeration.
- Mixed flow driers **save 50%** compared to conventional basic cross-flow driers. Adding recirculation cross-flow driers can save up to **30%** of energy.
- Dryer operating at the right capacity, neither too heavily loaded.
- Harvesting at the **right time** for drying.

Ver 2/2022/4

46

46

Minimising energy demands

- Can min. cultivation techniques be used?
- Considered growing energy crops.
- Considered changing to lower input crops
- Is each cultivation operation really necessary
- Avoid cultivating in adverse conditions
- Reviewed equipment efficiency
- Are tractor tyres the correct size and operating pressure

Ver 2/2022/4

47

47

Tractor efficiency

- Use the right implement for the job (not the one that is the most fun to drive!)
- When purchasing new tractors, check fuel efficiency and performance data
- Regular maintenance (smoke is not good)
- Check tyre pressures regularly and determine using manufacturers loading and inflation requirements, **and** ground conditions and compaction

Ver 2/2022/4

48

48



Farm Carbon Toolkit

Field Efficiency



- Max. work rate and field efficiency can save large amounts of fuel
- Consider the use of precision farming and **autosteer / GPS / RTK**
- Wider implements will reduce % overlap and reduced turning time
- In cultivation terms, the largest single energy saving step possible is switching to a no-till or min-till approach – overall savings of **90%** could be possible.

Ver 280224
49

49

Renewable Energy Opportunities


- Solar
- Wind
- Geothermal – Eden Project
- Biogas – from digestate
- Ethanol & Biodiesel from biomass
- Heat pumps
- Heat recovery from wastewater



Ver 280224
50

50

Geothermal at The Eden Project





Ver 280224
51

51

Renewable Energy Funding Opportunities

The below have all currently closed



- [Green Home Finance Accelerator](#)
- [Industrial Hydrogen Accelerator Programme](#)
- [Net Zero Hydrogen Fund Strand 1](#)
- [Net Zero Hydrogen Fund Strand 2](#)
- [Heat Pump Ready Programme](#)
- [Low Carbon Hydrogen Supply 2](#)
- [Heat Network Investment Project \(HNIP\) funding](#)
- [Floating Offshore Wind Demonstration Programme](#)
- [Alternative Energy Markets \(AEM\) - Energy Price Signals Study](#)
- [Biomass Feedstocks Innovation Programme](#)
- [Direct Air Capture and other Greenhouse Gas Removal technologies competition](#)
- [Green Distilleries Competition Phase 2](#)

Ver 280224
52

52



Biofuels & future Opportunities

- Biofuel is produced over a short time span from biomass.
- Can be produced from plants or from agric, domestic or industrial biowaste.
- Two most common types of biofuels are ethanol and biodiesel, both represent the first generation of biofuel technology
- Biodiesel is a domestically produced, clean-burning, renewable substitute for petroleum diesel.
- Using biodiesel as a vehicle fuel increases energy security, improves air quality and the environment, and provides safety benefits.

Ver 280224
53

53



Benefits of using Biodiesel

Using biodiesel as a vehicle fuel increases energy security, improves air quality and the environment, and provides safety benefits.

- Energy Security and Balance. ...
- Air Quality
- Engine Operation
- Safety
- B100 reduces CO2 emissions by 75% and particulate matter by 47% compared with petroleum diesel.

Ver 280224
54

54

Waste Management Exemptions



U10 Exemptions - Quantities Limited

- Chalk
- Mushroom Compost
- Milk
- Wood Ash
- Veg Washings

Ver 280224 55

55

Waste Management Moving & Disposing

- Licence waste contractor
- Waste disposal notes
- Waste permits
- PAS system
- Protocols

Ver 280224 56

56

Waste Management Manures & Slurry Management

growtrain
Training for Excellence

- Storage **10m** from water – **50m** from borehole
- **Application 10m**, from water – **precision (injection) 6m**
- Slurry – Coverage – H&S - Capacity

Ver 280224 57

57

Waste Management Hazardous Waste

growtrain
Training for Excellence

- **Pathogen** – E.coli – Salmonella – Cyst tape worm eggs
- **Heavy Metals** – Cu, Cd, Cr, Pb, Hg, Ni, Zn also Mo, Arsenic, Floride ?
- **pH** importance – below 5
- Physical contaminant – **plastics - glass**

Ver 280224 58

58

Broadcast spreader (splash plate or nozzles)–sideways spread

growtrain
Training for Excellence

The slurry is forced under pressure through a nozzle, often onto an inclined plate to increase the sideways spread

Pros:

- Easy to use
- **Range of DMs** can be spread
- **No hoses** to clog

Situation:

- Suitable for all land uses

Cons:

- High **NH₃** losses therefore lower **NUE**
- Sward **contamination**
- Potential for **run-off** if it rains after spreading
- Strong **odour**
- Harder to **spread accurately**





Ver 280224 59

59

Trailing Hose

growtrain
Training for Excellence

Spreading on grassland for silage in the spring makes good use of the nitrogen, phosphate and potash

Umbilical low trajectory slurry spreading minimises soil compaction

As the hoses are above ground level it can be used in the early stages of a growing crop so might be better suited to a mixed-farm situation



A trailing hose brings the manure down tubes to close to the soil surface, reducing ammonia emissions by 30-35% compared to broadcasting. This equipment can be used on both grassland and arable crops.

Ver 280224 60

60

Bandspreader

- Boom of spreader has number of hoses connected to it, distributing slurry close to ground in strips or bands.
- Fed with slurry from single pipe, relying on the pressure at each of hose outlets to provide even distribution.
- Advanced systems use rotary distributors to proportion the slurry evenly to each outlet.
- Band spreaders are very flexible being suitable for both grassland and top dressing growing crops



Ver 280224

61

61

Injectors & Trailing Shoe



Slurry injector or trailing shoe prevents contamination of grass for silage or grazing and stock can be returned sooner.

In an NVZ, use of this type of precision spreading equipment allows you to spread to within 6m, (instead of 10m), of a watercourse.



Ver 280224

62

62

Trailing shoe spreader



- Similar configuration to band spreader with shoe added to each hose allowing slurry to be deposited under crop canopy onto soil
- Similar advantages to injection but has **lower tractor power** requirement and can be used on taller grass and a wider range of soil types
- Brings manure down tubes from boom to close to the soil surface.
- Metal shoe parts foliage giving manure better access to the soil reducing ammonia emissions by **30-60%** compared to broadcasting.
- Can use for grassland, row crops and arable crops post-emergence.

Ver 280224

63

63

Trailing shoe



Pros:

- Easy to use
- Can be **used repeatedly** because no soil slitting
- Low **sward contamination**
- **Reduced NH₃ losses** more **available N**
- Low odour
- Bout width known so spreading accuracy easier
- Relatively inexpensive to buy as a basic unit

Cons:

- **Thicker material** can be tricky so may need dilution
- **Pipes can clog** with thicker material
- Only **suitable for grass** as the shoe would damage a growing crop this method is designed to comb through the sward

Ver 280224

64

64

Injecting Slurries

- Injecting reduces ammonia nitrogen loss, improves accuracy and minimises odour and contamination.
- Slurry is injected under the soil surface.
- There are various types of injector but each fits into one of two categories:

- **Open slot shallow injection - up to 50 mm deep**
- **Deep injection over 150 mm deep**



Ver 280224

65

65

Shallow Injection



Situations:

- Difficult on some soils, particular **stony conditions**, because of wear or damage to cutting discs
- In heavier soils, there is the risk of smearing slits and **consequential damage to soil**

Pros:

- Known bout width
- Least sward contamination and lowest ammonia losses of all methods
- Min. run-off potential although slits may provide a channel in very poor conditions
- Places the manure 4-6 cm deep in slots cut into the soil 25-30 cm apart and can be used for both grassland and arable crops.
- Deep injection to 10-30 cm can be suitable for some soil conditions.
- Injection can reduce ammonia emissions by 70-90% compared to broadcasting.

Cons:

- More expensive to buy and use - takes a lot of tractor pulling power and consumes more diesel
- Timing of application must be accurate to avoid situations such as slits not closing up when conditions are dry after application

Ver 280224

66

66

How much slurry should I apply



Plan what you need:

- Max. of **50 m³/ha** upper limit.
- In practice **30-35m³/ha** for **any application**, less if on grazing during the season.
- Cutting grass for silage consider what nutrients are needed and plan, taking the soil test result into account.
- You can supply all **P** and **much of K** needed for a decent first cut, meaning that only NKS fertiliser is required.
- Once **NVZ** closed period for slurry application ends and until the end of Feb, no more than **30m³/ha** can be applied in a single dose, with at least 3 weeks between applications.
- **Early and later** part of the year the nutrients won't be as well utilised so keep application rates as low as possible.

Ver 280224

67

67

Three main types of solid manure spreaders commonly used.



Side discharge spreader which features a cylindrical body and pto-driven shaft fitted with flails running along the centre of the cylinder. As the rotor spins, the flails throw the solid manure out to the side

FYM spread prior to reseed provides all the phosphate and potash needed for the new ley



In NVZ's high trajectory spreading (above 4m), should not be used for slurry application unless at a rate of less than 1 mm/hour



Ver 280224

68

68

Dual purpose spreader (side discharge) used to spread FYM



Side discharge spreader - open top V-shaped body capable of handling both slurry and solid manure.

Fast spinning impeller or rotor, throws material from the side of the machine.



Fed with material by an auger or other mechanism fitted in the base of the spreader, sliding gate controls the flow rate of the material onto the rotor



In NVZ's high trajectory spreading (above 4m), should not be used for slurry application unless at a rate of less than 1 mm/hour

Ver 280224

69

69

Rear discharge spreader

Spreads solid manures **evenly and accurately**.

Trailer body with moving floor or mechanism delivers solid manure to **rear of the spreader**.

Spreading mechanism can have either **vertical or horizontal** beaters, plus in some cases spinning discs.



Ver 280224

70

70

How should digestate & compost be applied to field?



Not spread on frozen, snow-covered or waterlogged ground, or **within 10m** of watercourse.

Liquid digestates can **pollute surface water** if applications are not managed.

Follow best practice

Detailed information can be found in:

- Code of Good Agricultural Practice in England
- Code of Good Agricultural Practice for Wales²¹;
- Prevention of Environmental Pollution from Agricultural Activity in Scotland.



Image courtesy of NPS

Ver 280224

71

71

How should digestate & compost be applied



- Liquid digestate **using precision equipment** - band spreaders or shallow injectors - incorporated rapidly into the soil. Increases the N available for crop uptake & **reduce the amount lost as NH₃+**.
- Broadcasting digestate with a **splash-plate is not recommended**.
- Compost and fibre digestate can be spread with conventional muck spreaders.
- Equipment **maintained & calibrated** for the type of material being applied.
- Rates should be based on the **farm's NMP**



Image courtesy of SHC

Ver 280224

72

72

Waste Management

Environmental Benifits

- Recycle
- Keeps out of water
- Cost
- Reduction artificial fert




Ver 280224

73

Waste Management






The diagram is an inverted pyramid divided into five horizontal sections. From top to bottom, the sections are labeled: Prevention, Preparing for re-use, Recycling, Other recovery, and Disposal.

74

Regulations on use





```
graph TD; SS[Sewage Sludge] --> A["Sludge use in Agriculture Regulations (1989) Amended 1991 Biosolids Assurance Scheme"]; W[Waste] --> EP["Environmental Permitting and apply for a deployment to spread to land"]; W --> U10["U10 for certain materials in small quantities e.g. chalk"]; W --> BS["Produced to a standard BS/ PAS110 or PAS100"]; W --> AD["Product under ADQP or CQP in England to designated market"]; FW[Farm waste: Crop & livestock manures or digestate];
```

The flowchart shows 'Sewage Sludge' leading to 'Sludge use in Agriculture Regulations (1989) Amended 1991 Biosolids Assurance Scheme'. 'Waste' leads to four paths: 'Environmental Permitting and apply for a deployment to spread to land', 'U10 for certain materials in small quantities e.g. chalk', 'Produced to a standard BS/ PAS110 or PAS100', and 'Product under ADQP or CQP in England to designated market'. 'Farm waste: Crop & livestock manures or digestate' is shown as a separate category.

75